

Vertiv™ Geist™ Basic Rack PDU

Vertiv™ Geist™ Basic rack PDUs (rPDU) provide reliable power distribution to critical IT equipment within a rack or cabinet. Basic rPDUs are available in a variety of electrical and receptacle configurations. Every unit is 100% tested for reliability and functionality.

Warranty: Vertiv™ Geist™ Basic rPDUs come with a standard three-year warranty that is automatically extended to five years if the product is registered within 120 days of purchase.

Vertiv™ Geist™ Basic rack PDUs (rPDU) provide reliable power distribution to critical IT equipment within a rack or cabinet. Basic rPDUs are available in a variety of electrical and receptacle configurations. Basic rPDUs meet all compliance requirements, and every unit is 100% tested for reliability and functionality.

MODEL SPECIFICATIONS OVERVIEW

metric imperial

[Print](#) | [Download](#) | [Email](#)

Models	Capacity	Input Voltage	Output Voltage	Output Options	Location
VP9562 ▶	15A	120V	120V	(10) 5-15R	Rack
VP9563 ▶	20A	120V	120V	(10) 5-20R	Rack
VP9571A ▶	30A	208V	208V	(12) C13	Rack
VP7541 ▶	30A	208V	208V	(20) C13 / (4) C19	Rack
VP9567 ▶	15A	120V	120V	(14) 5-15R	Rack

VP9562

Basic Rack PDU VP9562 is a 15A, 120V 1U horizontal. It has 10 NEMA 5-15R receptacles and a NEMA 5-15P providing 1.4kW in power capacity. The VP9562 delivers reliable power distribution to critical IT equipment. Every unit is individually tested for reliability and functionality, and it is TAA compliant.

VP9563

Basic Rack PDU VP9563 is a 20A, 120V 1U horizontal. It has 10 NEMA 5-20R receptacles and a NEMA 5-20P providing 1.9kW in power capacity. The VP9563 delivers reliable power distribution to critical IT equipment. Every unit is individually tested for reliability and functionality, and it is TAA compliant.

VP9571A

Basic Rack PDU VP9571A is a 30A, 208V 1U horizontal. It has 12 IEC C13 receptacles and a NEMA L6-30P providing 4.9kW in power capacity. The VP9571A delivers reliable power distribution to critical IT equipment. Every unit is individually tested for reliability and functionality, and it is TAA compliant.

VP7541

Basic Rack PDU VP7541 is a 30A, 208V 0U vertical. It has 20 IEC C13 and 4 IEC C19 receptacles and a NEMA L6-30P providing 4.9kW in power capacity. The VP7541 delivers reliable power distribution to critical IT equipment. Every unit is individually tested for reliability and functionality, and it is TAA compliant.

VP9567

Basic Rack PDU VP9567 is a 15A, 120V 0U vertical. It has 14 NEMA 5-20R receptacles and a NEMA 5-15P providing 1.4kW in power capacity. The VP9567 delivers reliable power distribution to critical IT equipment. Every unit is individually tested for reliability and functionality, and it is TAA compliant.

Vertiv™ Geist™ Switched Rack PDU

Vertiv™ Geist™ Switched rack PDUs (rPDU) provide a comprehensive view of critical IT equipment power usage, both at the rack and via remote access with the added ability to remotely turn on, turn off, or reboot power at each outlet. Switched rPDUs are available in a variety of electrical and receptacle configurations. Every unit is 100% tested for reliability and functionality.

Vertiv™ Geist™ Monitored Rack PDU

Vertiv™ Geist™ Monitored rack PDUs (rPDU) provide a comprehensive view of power usage, both at the rack and via remote access while continuing to provide reliable power distribution to critical IT equipment. Monitored rPDUs are available in a variety of electrical and receptacle configurations. Every unit is 100% tested for reliability and functionality.

Vertiv™ VR Rack

Standardize your deployments around the world and bring them online faster with the Vertiv™ VR rack. The Vertiv™ VR supports a wide variety of equipment including servers, storage, switches, routers, PDUs, UPSs, console port servers and KVM switches. The Vertiv™ VR is delivered ready for high density environments to serve your mission critical needs — even as they evolve and change. This rack gives you the flexibility you need with easy installation.

